


RAW SEQUENCE LISTING

ERROR REPORT

P
BIOTECHNOLOGY
SYSTEMS
BRANCH



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following CRF diskette:

Application Serial Number: 09/213,834
Art Unit / Team No. : 01PE
Date Processed by STIC: 1/4/99

THE ATTACHED PRINTOUT EXPLAINS THE ERRORS DETECTED.

PLEASE BE SURE TO FORWARD THIS INFORMATION TO THE APPLICANTS BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANTS ALONG WITH A NOTICE TO COMPLY or,

2) CALLING APPLICANTS AND FAXING THEM A COPY OF THE PRINTOUT WITH A NOTICE TO COMPLY

THIS WILL INSURE THAT THE NEXT SUBMISSION RECEIVED FROM THEM WILL BE ERROR FREE.

IF YOU HAVE ANY FURTHER QUESTIONS, PLEASE CALL:

ARTI SHAH 703-308-4212

PAGE: 1

RAW SEQUENCE LISTING
PATENT APPLICATION US/09/213,834DATE: 01/04/1999
TIME: 15:26:42

Input Set: I213834.RAW

This Raw Listing contains the General
Information Section and those Sequences
containing ERRORS.

Does Not Comply
Corrected Diskette Needed

E--> 1 <110> Romantchikov, Yuri
2 <120> IMPROVED METHODS FOR INSERTION OF NUCLEIC ACIDS INTO CIRCULAR VECTORS
3 <130> 99999/400200
4 <140> US/09/213,834
5 <141> 1998-12-17
6 <160> ← *mandatory response needed*
7 <170> WordPerfect 6.1 for Windows

ERRORED SEQUENCES FOLLOW

E--> 8 <210> 8
9 <211> 18 *28. slow*
10 <212> DNA
11 <213> Artificial Sequence
12 <220>
13 <223> adaptor
14 <400> 8
15 ctagtttttt tttttttttt tttttttt

28

Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220> to
<223> fields of each sequence which presents at least one n or Xaa.

PAGE: 2

VERIFICATION SUMMARY
PATENT APPLICATION US/09/213,834

DATE: 01/04/1999
TIME: 15:26:42

Input Set: I213834.RAW

Line	? Error/Warning	Original Text
------	-----------------	---------------

6	E # of Seq. 0 Not Equal Actual 16	<160>
---	-----------------------------------	-------

9	E Input 18, Calc# Bases 28 differ	<211> 18
---	-----------------------------------	----------

Application No.: 09/243834

NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

- ☐ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☐ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☐ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☒ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☐ 7. Other: _____

Applicant Must Provide:

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".
- ☒ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216

For CRF Submission Help, call (703) 308-4212

For Patenting software help, call (703) 308-6856

PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE